

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address COMMISSIONER FOR PATENTS
P.O. Box 150
Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/021,535	12/12/2001	Jeffrey John Anuszczyk	111345.122	1826
7590 09/20/2005			EXAMINER	
Joseph F. Haag			SHAW, PELING ANDY	
Hale and Dorr LLP 60 State Street		,	ART UNIT	PAPER NUMBER
Boston, MA 02106			2144	
			DATE MAILED: 09/20/2005	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	$\sim$ $\sim$					
	Application No.	Applicant(s)				
	10/021,535	ANUSZCZYK ET AL.				
Office Action Summary	Examiner	Art Unit				
	Peling A. Shaw	2144				
The MAILING DATE of this communication Period for Reply	appears on the cover sheet	with the correspondence address				
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory per  - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the maximum.	DATE OF THIS COMMUI t 1.136(a). In no event, however, may iod will apply and will expire SIX (6) M tute, cause the application to become	NICATION. If a reply be timely filed  IONTHS from the mailing date of this communication. IONTHS ABANDONED (35 U.S.C. § 133).				
earned patent term adjustment. See 37 CFR 1.704(b).						
Status	0005					
<ul> <li>1)  Responsive to communication(s) filed on 29</li> <li>2a)  This action is FINAL.</li> <li>2b)  T</li> </ul>	His action is non-final.					
3) Since this application is in condition for allo		atters, prosecution as to the merits is				
closed in accordance with the practice unde						
·	<b>,</b>					
Disposition of Claims						
	Claim(s) <u>1-44</u> is/are pending in the application.					
4a) Of the above claim(s) is/are without	irawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-44</u> is/are rejected. 7)□ Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction an	d/or election requirement.					
Application Papers						
9) The specification is objected to by the Exam						
10)⊠ The drawing(s) filed on <u>11 March 2003</u> is/ar	,,	•				
Applicant may not request that any objection to						
Replacement drawing sheet(s) including the cor 11) The oath or declaration is objected to by the						
Trib The bath of declaration is objected to by the	Examiner. Note the attack	led Office Action of form F 10-132.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of:  1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the papplication from the International Bur * See the attached detailed Office action for a	ents have been received. ents have been received in iniority documents have be reau (PCT Rule 17.2(a)).	n Application No en received in this National Stage				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB. Paper No(s)/Mail Date	4) 🔲 Intervie Paper N	w Summary (PTO-413) No(s)/Mail Date of Informal Patent Application (PTO-152)				

Art Unit: 2144

#### **DETAILED ACTION**

1. Amendment received on 06/29/2005 has been entered. Claims 1, 5, 14-15, 30, 40-41 and 43-44 are amended. Claims 1-44 are still pending.

### **Priority**

2. This application has no priority claim made. The filing date is 12/12/2001.

# Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

Claims 1-4, 11-12, 14-15 and 41-44 are rejected under 35 U.S.C. 102(a) as being anticipated by Kar et al., (An Architecture for Managing Application Services over Global Networks), hereinafter referred as Kar.

a. Regarding claim 1, Kar disclosed a method for collecting information on components in an information technology (IT) system, comprising: discovering the existence of at least one of the components in the IT system by receiving real-time messages and using at least one fingerprint (page 2, right column, 2nd paragraph- page 3, left column, 1st paragraph: MLM); determining at least one dependency between two or more of the components (page 3, right column, 3rd-5th paragraphs: Dependency Analysis for Service Management); and tracking changes to at least one of the components and the dependency between two or more of the components (page 2, right column, 2nd paragraph- page 3, left column, 1st paragraph: MLM; page 5, right

Art Unit: 2144

column, 2nd paragraph-page 6, left column, 4th paragraph: Application Service Agents, Resource Broker and Resource Directory).

- b. Regarding claim 2, Kar disclosed the method of claim 1, further comprising generating A visual map of the IT system, the visual map including A depiction of at least one of the components and the at least one dependency between two or more of the components (Fig. 4; page 4, left column, 2nd paragraph: Dependency Graph; page 5, left column, last paragraph, and right column, last paragraph-page 6, left column, 1st paragraph).
- c. Regarding claim 3, Kar disclosed the method of claim 2, wherein the visual map includes tracked changes to at least one of the components (page 5, right column, last paragraph-page 6, left column, 1st paragraph).
- d. Regarding claim 4, Kar disclosed the method of claim 1, wherein at least one of the components is an application (page 5, right column, 2nd paragraph-page 6, left column, 1st paragraph: Application Service Agents).
- e. Regarding claim 11, Kar disclosed the method of claim 1, wherein the at least one dependency is selected from the group consisting of shared library usage, network usage, and containment dependencies (page 3, right column, 4th-last paragraphs: DNS, NFS, IP service, PVC, network components, servers and applications).
- f. Regarding claim 12, Kar disclosed the method of claim 1, further comprising:
  generating A component discovered message upon the discovery of one of the
  components; retrieving A list of elements to track for the discovered component; and

using the list of elements to track changes to the discovered component (page 2, right column, 2nd paragraph, 1st-3rd bullets).

- g. Regarding claim 14, Kar disclosed a system for collecting information on components in an information technology (IT) system, comprising: means for discovering the existence of at least one of the components in the IT system by receiving real-time messages and using at least one fingerprint (page 2, right column, 2nd paragraph-page 3, left column, 1st paragraph: MLM); means for determining at least one dependency between two or more of the components (page 5, right column, 2nd paragraph-page 6, left column, 4th paragraph: Application Service Agents, Resource Broker and Resource Directory); and means for tracking changes to at least one of the components and the dependency between two or more of the components (page 2, right column, 2nd paragraph-page 3, left column, 1st paragraph: MLM; page 5, right column, 2nd paragraph-page 6, left column, 4th paragraph: Application Service Agents, Resource Broker and Resource Directory).
- h. Regarding claim 15, Kar disclosed an apparatus for collecting information on components in an information technology (IT) system, comprising: A memory storing A program; A processor in communication with the memory; in which the processor is directed by the program to: discover the existence of at least one of the components in the IT system by receiving real-time messages and using at least one fingerprint (page 5, right column, last paragraph-page 6, left column, 1st paragraph: Application Service Agent discovers resource through MLMs); determine at least one dependency between two or more of the components (page 5, left column, last paragraph); and

Application/Control Number: 10/021,535

Art Unit: 2144

track changes to at least one of the components and the dependency between two or more of the components (page 5, right column, 3rd paragraph-page 6, left column, 4th paragraph: Application Service Agent keeps track resources through MLMs, Resource Brokers and Resource Directory).

Page 5

- i. Regarding claim 41, Kar disclosed a method for tracking content changes to A component in an information technology (IT) system, comprising: discovering the existence of at least one of the components in the IT system by receiving real-time messages and using at least one fingerprint (page 2, right column, 2nd paragraphpage 3, left column, 1st paragraph: MLM); generating an event message for an occurrence in the IT system, the occurrence relating to the component (page 2, right column, 2<sup>nd</sup> paragraph, 2<sup>nd</sup> and 4<sup>th</sup> bullets); if contents are to be tracked for the component, comparing current contents of the component with A previous version of the contents of the component (Fig. 3: Management Platform; page 2, right column, 2<sup>nd</sup> paragraph, 3rd<sup>d</sup> and 4<sup>th</sup> bullets; page 5, 2<sup>nd</sup> paragraph- page 6, 4<sup>th</sup> paragraph: Application Service Agents works with Resource Broker and Resource Directory); and logging differences between the CURRENT contents of the component and the previous version of contents of the component (Fig. 3: Management Platform; page 2, right column, 2<sup>nd</sup> paragraph, 3rd<sup>d</sup> and 4<sup>th</sup> bullets: MLMs, application service agents work with Resource Broker and Resource Directory).
- j. Regarding claim 42, Kar disclosed the method of claim 41, further comprising: generating A command to copy the current contents of the component; and in response to the command, receiving the current contents of the component (Fig. 3:

Management Platform; page 2, right column, 2<sup>nd</sup> paragraph, 3rd<sup>d</sup> and 4<sup>th</sup> bullets: MLMs, application service agents work with Resource Broker and Resource Directory).

k. Regarding claim 43, Kar disclosed an apparatus for tracking content changes to A component in an information technology (IT) system, comprising: A memory storing A program (page 5, 2<sup>nd</sup> paragraph: Application service agents); A processor in communication with the memory (page 5, 2<sup>nd</sup> paragraph: Application service agents); in which the processor is directed by the program to: discover the existence of at least one of the components in the IT system by receiving real-time messages and using at least one fingerprint (page 2, right column, 2nd paragraph-page 3, left column, 1st paragraph: MLM); generate an event message for an occurrence in the IT system, the occurrence relating to the component (page 2, right column, 2<sup>nd</sup> paragraph, 2<sup>nd</sup> and 4<sup>th</sup> bullets; page 5, 2<sup>nd</sup> paragraph and last bullet item: Application service agents work through MLMs); if contents are to be tracked for the component, compare current contents of the component with A previous version of the contents of the component (Fig. 3: Management Platform; page 2, right column, 2nd paragraph, 3rdd and 4th bullets; page 5, 2nd paragraph- page 6, 4th paragraph: Application Service Agents works with Resource Broker and Resource Directory); and log differences between the current contents of the component and the previous version of contents of the component (Fig. 3: Management Platform; page 2, right column, 2nd paragraph, 3rdd and 4th bullets: MLMs, application service agents work with Resource Broker and Resource Directory).

1. Regarding claim 44, Kar disclosed a system for collecting information on components in an information technology (IT) system, comprising: A plurality of agents (Fig. 6; page 5, right column, section D: Application Management Architecture), wherein each agent resides on A computer of the IT system, and wherein each agent includes instructions to: (A) discover components in the IT system by receiving real-time messages and using at least one fingerprint (page 2, right column, 2nd paragraphpage 3, left column, 1st paragraph: MLM), (B) determine at least one dependency between two or more of the discovered components (page 3, right column, 3rd-5th paragraphs: Dependency Analysis for Service Management), and (C) track changes to the discovered components and the dependency between two or more of the discovered components (page 2, right column, 2nd paragraph- page 3, left column, 1st paragraph: MLM; page 5, right column, 2nd paragraph-page 6, left column, 4th paragraph: Application Service Agents, Resource Broker and Resource Directory); and A network server in communication with the plurality of agents, wherein the network server includes instructions to receive component detection messages from the agents and generate A visual map of the discovered components (Fig. 4; page 4, left column, 2nd paragraph: Dependency Graph; page 5, left column, last paragraph, and right column, last paragraph-page 6, left column, 1st paragraph).

Kar disclosed all limitations of claims 1-4, 11-12, 14-15 and 41-44. Claims 1-4, 11-12, 14-15 and 41-44 are rejected under 35 U.S.C. 102(a).

4. Claims 30-40 are rejected under 35 U.S.C. 102(a) as being anticipated by Keller et al. (Dynamic Dependencies in Application Service Management), hereinafter referred as Keller.

Art Unit: 2144

a. Regarding claim 30, Keller disclosed a method for determining dependencies between at least two components in an information technology (IT) system, comprising: discovering the at least two components in the IT system by receiving real-time messages (page 6, right column, 1<sup>st</sup> paragraph: MLMs); monitoring the usage of resources by the two components in the IT system and, if A resource is used by one of the two components, generating A message indicating the use of that resource by that component (page 6, right column, 1<sup>st</sup> paragraph: MLMs); accumulating each message indicating the use of one of the resources by one of the two components (page 6, right column, 3rd paragraph-page 7, left column, 1<sup>st</sup> paragraph: application service agent); and if the accumulated messages indicate that the two components use the same resource, then indicating that A dependency between the two components has been detected (page 5, right column, 4<sup>th</sup> column; page 6, right column, 3rd paragraph-page 7, left column, 1<sup>st</sup> paragraph: application service agent).

- Regarding claim 31, Keller disclosed the method of claim 30, further comprising determining A direction of the dependency between the two components (page 2, left column, 2<sup>nd</sup> paragraph, item 1).
- c. Regarding claim 32, Keller disclosed the method of claim 30, wherein the component is selected from the group consisting of an application, A network connection ENDPOINT, and A server (Fig. 1; page 2, left column, 1st paragraph and 2<sup>nd</sup> paragraph, item 1; page 6, right column, 1<sup>st</sup> paragraph).

Art Unit: 2144

d. Regarding claim 33, Keller disclosed the method of claim 32, wherein at least one message indicates A network OUTBOUND connection by one of the two components (Fig. 1; page 2, left column, 1st paragraph and 2<sup>nd</sup> paragraph, item 1; page 6, right column, 1<sup>st</sup> paragraph).

- e. Regarding claim 34, Keller disclosed the method of claim 32, wherein at least one message indicates A network listener by one of the two components (Fig. 1; page 2, left column, 1st paragraph and 2<sup>nd</sup> paragraph, item 1; page 6, right column, 1<sup>st</sup> paragraph).
- f. Regarding claim 35, Keller disclosed the method of claim 32, wherein at least one message indicates A use of A file by one of the two components (Fig. 1; page 2, left column, 1st paragraph and 2<sup>nd</sup> paragraph, item 1; page 3, right column: Component Type and Component Activity).
- g. Regarding claim 36, Keller disclosed the method of claim 30, further comprising tracking changes to the dependency between the two components (page 6, right column, 1<sup>st</sup> paragraph-page 7, left column, 6<sup>th</sup> paragraph: MLMs, Application Service Agent, Resource Broker and Resource Directory).
- h. Regarding claim 37, Keller disclosed the method of claim 30, wherein the dependency is A containment dependency (Fig. 1; page 2, left column, 1st paragraph and 2<sup>nd</sup> paragraph, item 1; page 3, right column: Component Type and Component Activity: file and file system).

Application/Control Number: 10/021,535

Art Unit: 2144

 Regarding claim 38, Keller disclosed the method of claim 30, wherein the dependency is A network dependency (Fig. 1; page 2, left column, 1st paragraph and 2<sup>nd</sup> paragraph, item 1; page 6, right column, 1<sup>st</sup> paragraph).

Page 10

- j. Regarding claim 39, Keller disclosed the method of claim 30, wherein the dependency is A shared usage dependency (Fig. 1, IP Provider and Network Provider; page 2, left column, 1st paragraph and 2<sup>nd</sup> paragraph, item 1).
- k. Regarding claim 40, Keller disclosed an apparatus for determining dependencies between at least two components in an information technology (IT) system, comprising: A memory storing A program (page 6, right column, 2<sup>nd</sup> paragraph: application service agent); A processor in communication with the memory (page 6, right column, 2<sup>nd</sup> paragraph: application service agent); in which the processor is directed by the program to: discover the at least two components in the IT system (page 6, right column, 1<sup>st</sup> paragraph-page 7, left column, 6<sup>th</sup> paragraph; application service agent work through MLM, Resource Broker and Resource Directory); monitor the usage of resources by the two components in the IT system by receiving real-time messages and, if A resource is used by one of the two components, generating A message indicating the use of that resource by that component (page 6, right column, 1<sup>st</sup> paragraph-page 7, left column, 1st paragraph: application service agent work through MLM); accumulate each message indicating the use of one of the resources by one of the two components (page 6, right column, 3rd paragraph-page 7, left column, 1<sup>st</sup> paragraph: application service agent); and if the accumulated messages indicate that the two components use the same resource, then indicate that

Art Unit: 2144

A dependency between the two components has been detected (page 5, right column, 4<sup>th</sup> column; page 6, right column, 3rd paragraph-page 7, left column, 1<sup>st</sup> paragraph: application service agent).

Keller disclosed all limitations of claims 30-40. Claims 30-40 are rejected under 35 U.S.C. 102(a).

# Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 5-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kar et al., (An Architecture for Managing Application Services over Global Networks), hereinafter referred as Kar as applied to claim 1 above, and further in view of Kathrow, et al. (US 6393438 B1), hereinafter referred as Kathrow.

a. As quoted from paragraph 2, item a, Kar shows a method for collecting information on components in an information technology (IT) system, comprising: discovering the existence of at least one of the components in the IT system by receiving real-time messages and using at least one fingerprint (page 2, right column, 2nd paragraph- page 3, left column, 1st paragraph: MLM); determining at least one dependency between two or more of the components (page 3, right column, 3rd-5th paragraphs: Dependency Analysis for Service Management); and tracking changes to

at least one of the components and the dependency between two or more of the components (page 2, right column, 2nd paragraph- page 3, left column, 1st paragraph: MLM; page 5, right column, 2nd paragraph-page 6, left column, 4th paragraph: Application Service Agents, Resource Broker and Resource Directory). Kar does not shows wherein discovering the existence of at least one of the components by receiving real-time messages and using at least one fingerprint includes: receiving the real-time messages as event information regarding an occurrence in the IT system, the occurrence relating to A first component; comparing the first component along with other components to at least one fingerprint, wherein the fingerprint represents key low-level elements of A model of A known component; and determining that at least one of the components exists when all of the elements of the fingerprint corresponding to the known component are matched; wherein the occurrence is selected from one or more of A file creation, A file deletion, and A file modification; wherein the occurrence is selected from one or more of A registry key creation, A REGISTRY key deletion, and A registry key modification; wherein the occurrence is information regarding detection of A particular component in the IT system; further comprising indicating that A particular component has been damaged if the occurrence is A deletion and at least one of the elements of the fingerprint arc no longer matched by the components in the IT system; and further comprising indicating that A particular component has been UNINSTALLED if the occurrence is A deletion and all of the elements of A minimum set of the fingerprint arc no longer matched by the components in the IT system.

b. Kathrow shows wherein discovering the existence of at least one of the components by receiving real-time messages and using at least one fingerprint includes: receiving the real-time messages as event information regarding an occurrence in the IT system, the occurrence relating to A first component (Fig. 2, item 252; column 4, line 7-18); comparing the first component along with other components to at least one fingerprint, wherein the fingerprint represents key low-level elements of A model of A known component (Fig. 4, item 432; column 11, line 49-59); and determining that at least one of the components exists when all of the elements of the fingerprint corresponding to the known component are matched (Fig. 4, item 440; column 11, line 59-62); wherein the occurrence is selected from one or more of A file creation, A file deletion, and A file modification (column 4, line 60-65); wherein the occurrence is selected from one or more of A registry key creation, A REGISTRY key deletion, and A registry key modification (column 4, line 60-65); wherein the occurrence is information regarding detection of A particular component in the IT system (column 4, line 60-65); further comprising indicating that A particular component has been damaged if the occurrence is A deletion and at least one of the elements of the fingerprint arc no longer matched by the components in the IT system (Fig. 4, item 436; column 4, line 60-65; column 11, line 62-64; column 14, line 8-15); and further comprising indicating that A particular component has been UNINSTALLED if the occurrence is A deletion and all of the elements of A minimum set of the fingerprint arc no longer matched by the components in the IT system (Fig. 4, item 436; column 4, line 60-65; column 11, line 62-64; column 14, line 8-15) in an analogous art for the

Art Unit: 2144

purpose of identifying the existence of differences between two files based upon the fingerprints.

- c. It would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Kar's Mid-level manger to include Kathrow's identifying the difference of two files based upon the fingerprint, including device descriptors.
- d. The modification would have been obvious because one of ordinary skill in the art would have been motivated to incorporate the file/device record updates base upon the hash technologies, i.e. fingerprint/digital signature, to improve the security and performance of configuration management.

Together Kar and Kathrow disclosed all limitations of claims 5-10. Claims 5-10 are rejected under 35 U.S.C. 103(a).

- 6. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kar et al., (An Architecture for Managing Application Services over Global Networks), hereinafter referred as Kar, in view of Kathrow, et al. (US 6393438 B1), hereinafter referred as Kathrow.
  - a. Kar shows an agent for collecting information on components in an information technology (IT) system, the agent residing on A computer in the IT system, the agent comprising: an observer module to detect event information about elements of the computer (page 2, right column, 2nd paragraph, 2nd bullet: MLM); and an analysis module to process the event information, the analysis module including: (A) component discovery rules to process event information and using an accumulator to discover the existence on the IT system of at least one of the components (page 2,

Application/Control Number: 10/021,535

Art Unit: 2144

right column, 2nd paragraph, 2nd bullet: MLM; page 5, right column, 2nd paragraph-page 6, left column, 4th paragraph: Application Service Agents, Resource Broker and Resource Directory), and (B) dependency discovery rules to detect relationships between components of the IT system (page 5, left column, last paragraph). Kar does not shows matching event information with elements of one or more fingerprints of known components.

Page 15

- b. Kathrow shows matching event information with elements of one or more
  fingerprints of known components (Fig. 4, items 432 and 440; column 11, line 49-62)
  in an analogous art for the purpose of identifying the existence of differences between
  two files based upon the fingerprints.
- c. It would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Kar's Mid-level manger to include Kathrow's identifying the difference of two files based upon the fingerprint, including device descriptors.
- d. The modification would have been obvious because one of ordinary skill in the art would have been motivated to incorporate the file/device record updates base upon the hash technologies, i.e. fingerprint/digital signature, to improve the security and performance of configuration management.

Together Kar and Kathrow disclosed all limitations of claim 13. Claim 13 is rejected under 35 U.S.C. 103(a).

Art Unit: 2144

7. Claims 16-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kathrow, et al. (US 6393438 B1), hereinafter referred as Kathrow, in view of Kar et al., (An Architecture for Managing Application Services over Global Networks), hereinafter referred as Kar.

a. Regarding claims 16, 23 and 24, Kathrow shows a method, a computer-readable medium storing instructions that direct A microprocessor, and an apparatus with memory containing a program and a processor executing the program for discovering components in an information technology (IT) system, comprising: receiving event information regarding an occurrence in the IT system, the occurrence relating to A first component (Fig. 2, item 252; column 4, line 7-18); comparing the first component along with other components to at least one fingerprint, wherein the fingerprint represents key low-level elements of A model of A known component (Fig. 4, item 432 and 440; column 11, line 49-62). Kathrow also shows (column 4, 1st paragraph; column 11, line 62-64) a single file could be divided into multiple files. Kathrow does not show if the first component and the other discovered components match substantially all of the key low-level elements of the fingerprint, using A SUBFINGERPRINT of A known refined component to discover the existence of A second component that corresponds to the known refined component. Kar shows (page 5, left column, last paragraph, and right column, last paragraph-page 6, left column, 1st paragraph) as a result of static analysis, the resource dependency graph could be constructed in an analogous art for the purpose of determining the resource dependency in the application service management.

Art Unit: 2144

b. It would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Kathrow's file comparison based upon the fingerprint method to include a further depending file (refined component) comparison through an application control (Fig. 2, item 252; column 4, line 16-18) via the result of fingerprint comparison (Fig. 2, item 254; Fig. 4, item 440; column 11, line 59-64) to further ensure all the dependent files as suggested (column 4, 1st paragraph; column 11, line 62-64) will be compared based upon fingerprints.

- c. The modification would have been obvious because one of ordinary skill in the art would have been motivated to fingerprint check not only one file out of multiple files that were from the division out of a single file, but multiple files to the integrity of a file (all divided files or associated resources).
- d. Regarding claim 17, Kathrow shows the method of claim 16, wherein the known refined component is A version of the known component (column 10, line 16-20).
- e. Regarding claim 18, Kathrow shows the method of claim 16, wherein the known refined component is an optional piece of the known component (column 12, line 6-21).
- f. Regarding claim 19, Kathrow shows the method of claim 16, further comprising generating A command message to collect further information if all of the low-level elements of the fingerprint are matched (column 11, line 59-62).
- g. Regarding claim 20, Kathrow shows the method of claim 19, further comprising receiving event information in response to the command message, wherein the event information is used with the SUBFINGERPRINT of the known refined component to

Art Unit: 2144

discover the existence of the second component (Fig. 2, item 252 and 254; column 4, line 7-18).

- h. Regarding claim 21, Kathrow shows the method of claim 16, further comprising detecting low-level items in the IT systems and generating event information regarding the low-level items (Kar, page 5, left column, last paragraph, and right column, last paragraph-page 6, left column, 1st paragraph; Kathrow, Fig. 2, item 252; column 4, line 7-18).
- i. Regarding claim 22, Kathrow shows the method of claim 21, wherein the low-level items are selected from one or more of files, registry settings, and DATABASE schemas (column 3, line 59-62).

Together Kathrow and Kar disclosed all limitations of claims 16-24. Claims 16-24 are rejected under 35 U.S.C. 103(a).

- 8. Claims 25-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kathrow, et al. (US 6393438 B1), hereinafter referred as Kathrow, in view of Kar et al., (An Architecture for Managing Application Services over Global Networks), hereinafter referred as Kar.
  - a. Regarding claims 25 and 27, Kathrow shows a method for managing components in an information technology (IT) system, comprising: receiving A first event message for A FIRST occurrence in the IT system, the first occurrence relating to A first component (Fig. 2, item 252; column 4, line 7-18); if the first component matches at least one low-level element of A fingerprint of A model of A known component, adding the first component to an accumulator (Fig. 4: dash line; column 5, line 45-53: REPEAT; column 11, line 14-21: REPEAT). Kathrow also shows (column 4, 1st

Art Unit: 2144

paragraph; column 11, line 62-64) a single file could be divided into multiple files. Kathrow does not show if all of the low-level elements of the fingerprint have been matched by the first component and other components, generating A command to detect further information; receiving, in response to the command, A second event message providing further details about one of the components; and using A SUBFINGERPRINT of A known refined component and the further details about one of the components to discover A refined component; and further comprising: generating A component detected message upon the discovery of the refined component; retrieving A list of elements to track for the refined component; and using the list of elements to track changes to the refined component. Kar shows (page 5, left column, last paragraph, and right column, last paragraph-page 6, left column, 1st paragraph) as a result of static analysis, the resource dependency graph could be constructed in an analogous art for the purpose of determining the resource dependency in the application service management.

b. It would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Kathrow's file comparison based upon the fingerprint method to include a further depending file (refined components) comparison through an application control (Fig. 2, item 252; column 4, line 16-18) via the result of fingerprint comparison (Fig. 2, item 254; Fig. 4, item 440; column 11, line 59-64) to ensure all the dependent files as suggested (column 4, 1st paragraph; column 11, line 62-64) will be compared based upon fingerprints; and to store a list of dependent files

Art Unit: 2144

as per Kar's dependency graph suggested to further ensure all dependent files would be finger print checked.

- c. The modification would have been obvious because one of ordinary skill in the art would have been motivated to fingerprint check not only one file out of multiple files that were from the division out of a single file, but all multiple files to ensure the integrity of a file (all divided files or associated resources).
- d. Regarding claim 26, Kathrow shows the method of claim 25, wherein the first occurrence is one of A file creation, file deletion, file modification, registry key creation, registry key modification, and registry key deletion (column 4, line 60-65).

Together Kathrow and Kar disclosed all limitations of claims 25-27. Claims 25-27 are rejected under 35 U.S.C. 103(a).

- 9. Claims 28-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kathrow, et al. (US 6393438 B1), hereinafter referred as Kathrow, in view of Kar et al., (An Architecture for Managing Application Services over Global Networks), hereinafter referred as Kar.
  - a. Regarding claim 28, Kathrow shows a method for discovery of A refined component in an information technology (IT) system, comprising: using A fingerprint of A model of A known component to discover an existing component in the IT system by matching passive elements in the fingerprint with event information of the IT system (Fig. 4, item 432 and 404; column 11, line 49-62). Kathrow also shows (column 4, 1st paragraph; column 11, line 62-64) a single file could be divided into multiple files and signal (event message) input/output generation via application (Fig. 2, item 252 and 254; column 4, line 7-18). Kathrow does not show generating and transmitting A

Art Unit: 2144

command message defined by active elements of the fingerprint to discover the refined component; receiving event information relating to the active elements of the fingerprint of the known component; and using A SUBFINGERPRINT of the refined component to discover the refined component, the refined component relating to the known component, wherein the SUBFINGERPRINT of the refined component becomes active upon the discovery of the existing component using the fingerprint. Kar shows (page 5, left column, last paragraph, and right column, last paragraph-page 6, left column, 1st paragraph) as a result of static analysis, the resource dependency graph could be constructed in an analogous art for the purpose of determining the resource dependency in the application service management.

- b. It would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Kathrow's file comparison based upon the fingerprint method to include a further depending file (refined components) comparison through an application control (Fig. 2, item 252 and 254; column 4, line 7-18) via the result of fingerprint comparison (Fig. 2, item 254; Fig. 4, item 440; column 11, line 59-64) to ensure all the dependent files as suggested (column 4, 1st paragraph; column 11, line 62-64) will be compared based upon fingerprints.
- c. The modification would have been obvious because one of ordinary skill in the art would have been motivated to fingerprint check not only one file out of multiple files that were from the division out of a single file, but all multiple files to ensure the integrity of a file (all divided files or associated resources).

Art Unit: 2144

d. Regarding claim 29, Kathrow shows the method of claim 28, wherein receiving event information relating to active elements includes receiving an event message (Fig. 2, item 252 and 254; column 4, line 7-18: signal).

Together Kathrow and Kar disclosed all limitations of claims 28-29. Claims 28-29 are rejected under 35 U.S.C. 103(a).

Art Unit: 2144

## Response to Arguments

10. Applicant's arguments filed on 06/29/2005 have been fully considered, but they are not persuasive.

- a. In response to applicant's statement on 102 rejections associated with claims 1-4, 11-12, 14-15 and 41-44, Kar has described architecture for managing services over global networks (page 2, right column, 2nd paragraph- page 3, left column, 1st paragraph: MLM). The events/traps from SNMP agents are used for discovering resources, i.e. well know to a person of ordinary skill in the art at the time of invention. As Kar also shows (page 6, left column, last paragraph-page 7, right column, first paragraph) the service management information flow. Item 9 of the section describes adding and deleting resource and MLMs monitors and updates the status of resource. This is a clear indication of discovering in real-time. Further Kar shows (page 7, right column, last paragraph-page 8,, left column, 1st paragraph) and refers to [8], [9], [14] and [15] the determination of dependencies at runtime.
- b. In response to applicant's statement on 102 rejections associated with claims 30-40, Keller shows (page 6, right column, 1<sup>st</sup> paragraph) "MLM provide the basis of this architecture and offer services such as event reception and forwarding, resource discovery functions or topology services". Keller also shows (page 6, right column, 2<sup>nd</sup> paragraph) "This view can best be represented by a multilevel resource tree, where the elements in one level are dependent on the availability and status of elements at the next lower level. One way to use the service view is to represent it graphically on one of the service management stations where a service manager can

Art Unit: 2144

observe the status of the service and do typical drill down operations for troubleshooting." It is clear that Keller does monitor the usage of resources by receiving real-time messages.

- c. In response to applicant's statement on 103 rejections associated with claims 5-10 and 13, Kathrow does show (column 1, line 30-33) that the fingerprint is used for differentiating two computer files. As a resource is updated, a fingerprint (or another industrial well known technique) is used to differentiate the former and later version of resources. As Kar's application is in the area of management resource. Thus it is natural to include Kathrow's teaching in Kar's application.
- d. In response to applicant's statement on 103 rejections associated with claims 16-29, the same response is applicable as in item c.

Art Unit: 2144

### Remarks

11. The following pertaining arts are discovered and not used in this office action. Office reserves the right to use these arts in later actions.

a. O'Neill (US 6832373 B2) System and method for updating and distributing information

Art Unit: 2144

#### Conclusion

12. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Refer to the enclosed PTO-892 for details.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peling A. Shaw whose telephone number is (571) 272-7968. The examiner can normally be reached on M-F 8:00 - 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Wiley can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the statu9s of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

pas

DAVID WILEY

OF PATENT EXAMINER

OF CENTER 2100